

# *The French Collection*

Naturally Charismatic Wood Floors



**Kährs**  
QUALITY IN WOOD SINCE 1857





# Contents

Kährs Oak Lyon:	Page 5	
Kährs Oak Lille:	Page 7	
Cannes White Oak:	Page 9	
Cannes Dark Grey Oak:	Page 11	
Cannes Light Brown Oak:	Page 13	
Cannes Dark Brown Oak:	Page 15	
Kährs Oak Carcassonne:	Page 17	
Kährs Oak Grasse:	Page 19	
Kährs Oak Dijon:	Page 21	
Kährs Oak Eze:	Page 23	
Kährs Oak Toulon:	Page 25	
Kährs Oak Perpignan:	Page 27	
Kährs Oak Limoges:	Page 29	
Kährs Oak Chateaufneuf:	Page 31	
Kährs Oak Pau:	Page 33	
Kährs Oak Toulouse:	Page 35	
Accessories:	Page 37	





# The French Collection

## Character & Style:

The French Collection is an exclusive range of diverse, stylish and charismatic wood floors. Currently consisting of 20 premium quality designs, The French Collection showcases a broad spectrum of colours, finishes and grades to appeal to all tastes.

Wood is the most sustainable, beautiful and versatile natural flooring material. Few materials can add as much warmth and character as a real wood floor. It can soften the most minimalistic designs and accentuate the rustic character of traditional spaces.

Within the French Collection, you'll find stunning natural oak floors in both 1-strip and 3-strip designs, some rustic and some modern. You'll find rich, smoked oak boards, deep

in colour and tone with a natural variation from board to board. There are light and bright, pale oak floors and subtle greys too. Some boards are brushed and handscraped to give a wonderful texture to the surface, whilst others enjoy a smooth lacquered finish.

There is diversity and character throughout this collection, and a quality of craftsmanship that resonates from every board.

With all the rustic charm of rural France, the sophistication and charisma of Paris and Monaco, the French Collection is la crème de la crème of wood flooring.

*Bonne Chasse!*



## Beauty With a Conscience

Kährs are world renowned not only for their superior craftsmanship but also for their environmental conscience.

The multi-layer construction of the French Collection floors means the wood raw material is utilized as efficiently as possible.

Furthermore, the Kährs production process has been designed to have minimal impact on the environment, and any waste material is converted into bio-fuel to heat the production plant as well as the neighbouring homes of over 40,000 local residents.

This dedication to the environment earned Kährs an ISO 14001 environmental management certification more than a decade ago. All Kährs floors are naturally free from solvents, formaldehyde and isocyanate.

## Engineering Excellence

Kährs have been manufacturing wood flooring since 1857, and their global reputation is built on exacting

quality and design standards. They are the oldest wood floor manufacturer still in operation in the world today.

Inventors of the world's first engineered wood floor, 75% more stable than solid wood, Kährs are innovators in their industry. Hardwood, whilst beautiful and hard-wearing, is naturally reactive to both temperature and moisture. Engineered wood flooring was invented to solve the problems faced by solid wood floors and create a far more flexible, durable and sustainable product.

With multiple layers of flexible softwoods like spruce and pine used in the lower layers of the board, the French Collection floors have the stability to withstand more extreme changes in temperature and are far less reactive to moisture. This creates a board that is far more durable and reliable.

All of the French Collection floors are suitable with underfloor heating, and all come with a Kährs Domestic Warranty of between 25 and 30 years.

NOTE: All images used in this brochure are representative only. Wood is a natural material so variations in colour and tone are to be expected.





# Kährs Oak Lyon

A Clean and Mellow, Warming Natural Oak Floor

## Product Description:

Oak Lyon is a fixed length 1-strip board, boasting soft and warm natural oak tones. It comes in a choice of finishes; Satin or Matt Lacquered for a smooth hard-wearing surface layer that requires minimal maintenance, or Oiled for the most natural look.

The satin lacquer finish has a slight sheen to it, and has been a popular choice in wood flooring for many years. The matt lacquer finish allows the natural colour and tone of the wood to shine through, even in direct sunlight.

Oak Lyon nature oiled, offers the most natural looking floor, whilst still providing protection against wear and tear. The added benefit of an oiled finish is that it can easily be re-oiled throughout its lifetime to keep it looking fresh and new. Simply apply a little oil and mop into the floor with a microfiber mop, for a nice even finish. Quick and easy to apply, and a great way to preserve the natural beauty of your oak floor!



Regardless of finish, the Oak Lyon comes in fixed length boards 1900mm long by 190mm wide and a thickness of 14mm, with 3.5mm wear-layer. A bevelled edge creates that full plank look and feel and the innovative click-joint makes installation quick and easy as each board clicks snugly into place beside its neighbor. The click-joint means the floor can be laid as a floating floor, each plank locking tightly together with no need for adhesives – saving time and money on installation costs. For uneven sub-floors or specific circumstances a glue-down installation is also perfectly suitable with the Oak Lyon boards.

For a clean and mellow, warming natural wood floor, the Kährs Oak Lyon is a great choice and with a 25 year domestic warranty, it has a beauty built to last.

## Technical Specifications:

Design:	1-Strip, Micro-Bevelled
Surface Treatment:	Satin Lacquer, Matt Lacquer, or Nature Oiled.
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3.5mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.





# Kährs Oak Lille

Natural Oak 3-Strip Board, Ideal for Smaller Spaces

**Product Description:**

The Kährs Oak Lille flooring is a 3-strip board, available in matt or satin lacquered finish. Each board measures 2423 x 200 x 13mm with a 2.6mm wear layer.

Natural oak tones, with variation from light straw brown to earthy amber, give this floor plenty of depth and character. The 3-strip design makes the Oak Lille an ideal choice for hallways

or smaller areas where the narrower strips of natural oak can create the illusion of more space.



The Oak Lille enjoys the newest version of Kährs' patented click joint technology, the Woodloc® 5S, which not only creates a gap-free floor with it's strong locking mechanism but also makes the uplift and replacement of individual boards within the floor a much quicker and easier task.

The board can be re-sanded 2 – 3 times during its lifetime and comes with a Kährs domestic warranty of 20 years. This floor is also suitable for underfloor heating and can be laid as a floating floor or glued down.

**Technical Specifications:**

Design:	3-Strip
Surface Treatment:	Satin Lacquer, Matt Lacquered.
Board Dimensions:	2423 x 200 x 13mm
Wear-Layer:	2.6mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5S Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	3.40m2 per pack
Warranty:	20 Years.





# Cannes White Oak

Light Oak, Pale Tones, Clean and Contemporary

### Product Description:

The Cannes White Oak is a 1-Strip Floor with lighter shades and pale tones for a clean and contemporary finish. Each board measures 1900 x 190 x 14mm with a 3.5mm wear layer and bevelled edge.

Lighter wood floors like the Cannes White Oak are right on trend, with modern tastes preferring the pastel shades over the more traditional brown oaks. There is no doubting that the lighter tone of the Cannes White creates a fresh, clean look and feel, opening up the interior space and blending nicely with both modern and traditional styles.

All of the Cannes range comes with click-joint for quick and simple installation. The Matt Lacquer finish on this board, helps to show off the natural grain whilst providing a hard-wearing layer of surface protection.

The Cannes White Oak Flooring comes with a 25 year domestic guarantee and is suitable with underfloor heating.



### Technical Specifications:

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Matt Lacquered.
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3.5mm Approx.
Re-Sandable:	2 - 3 Times.
Joint:	Woodloc® 5G Click
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.

NOTE: All images used in this brochure are representative only. Wood is a natural material so variations in colour and tone are to be expected.



# Cannes Dark Grey Oak

*Greige tones add a contemporary feel to this floor*

**Product Description:**

Grey is very much on trend this year and this Kährs Dark Grey Oak Cannes flooring is both stylish and sophisticated. The greige tones add a contemporary feel to the floor without detracting from its natural roots. The grey actually helps to accentuate the natural grain in the wood, whilst also matching up perfectly to the grey trend in many other interior elements, from kitchens and windows to furniture and wall coverings.

Cannes Dark Grey is a matt lacquer floor and comes in board sizes of 1900 x 190 x 14mm, with a 3.5mm wear layer and 4-sided bevel. The matt lacquer finish helps to show off the natural tones in the wood whilst also providing a layer of surface protection against wear and tear.

All of the Cannes floors have a built-in click-joint for quick and simple installation, with no need for adhesives. Micro-bevelling gives that full plank look and feel and brushing brings out the natural texture of the wood. The Cannes Dark Grey Oak Flooring comes with a 25 year domestic guarantee and is suitable with underfloor heating.



**Technical Specifications:**

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Matt Lacquered, Brushed
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3.5mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.





# Cannes Light Brown Oak

Warm and inviting tones with bold wood grain strokes

## Product Description:

A stunning floor with bold wood grain strokes and light and dark shades from tan to almond brown. This is a fixed length, 1-strip floor with board dimensions of 1900 x 190 x 14mm, 3.5mm wear-layer and 4-sided bevel.

Careful brushing during the manufacturing process brings out the natural texture in the wood, whilst the bevelled edge creates depth in the joints for true authenticity.

The board comes in a matt lacquer finish, helping the fawn tones to show through even in direct sunlight, and providing a hard-wearing surface layer of protection.

The warm and inviting tones of the Cannes Light Brown floor are complimented by eye-catching wood grain, natural knots and cracks and real depth of character and style. The click joint ensures a tight lock between the boards.

Comes with a 25 year Kährs Domestic Warranty and is suitable for underfloor heating.



## Technical Specifications:

Design:	1-Strip. 4-Sided Bevel
Surface Treatment:	Matt Lacquered, Brushed
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3.5mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup> per pack
Warranty:	25 Years.





# Cannes Dark Brown Oak

A rich and complex smoked oak floor.

**Product Description:**


Sumptuous burnt umber tones give a charismatic look and feel to this dark brown oak flooring. The natural wood grain is accentuated in dark shading and delicate brushing enhances the texture in the boards.

The Cannes Dark Brown comes in fixed length 1.9 metre boards, 190mm wide and 14mm thick. A Bevelled edge creates a v-groove joint, adding depth and authenticity to the look of the floor when laid.

Perfect for both modern and traditional spaces, this rich and complex floor is smoked during the manufacturing process to create a darker shade of oak, with natural variation in the boards from chocolate brown to lighter caramel tones.

The board comes in a matt lacquer finish and the click-lock joint makes installation quick and easy. The Cannes Dark Brown can be laid as a floating floor or glued down and it is suitable with underfloor heating.

The floor comes with a 25 year Kährs Domestic Warranty



**Technical Specifications:**

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Matt Lacquered, Brushed.
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3.5mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.



NOTE: All images used in this brochure are representative only. Wood is a natural material so variations in colour and tone are to be expected.





# Kährs Oak Carcassonne

*Stunning light oak, with pale tones and sandy shades*

## Product Description:

The Kährs Oak Carcassonne is a beautiful light oak floor, with pale tones and sandy shades. It is a 1-strip floor, meaning the full 190mm width of the board is covered in one single strip of real oak.

Brushing accentuates the natural texture in the wood and the oiled finish enriches colour and tone. The floor can be re-oiled when needed, to restore it to its original beauty and keep your floor looking fresh and new for years to come.

A 4-sided bevel creates a V-groove in the joints, giving that full plank look and feel. Lighter

shades are right on trend at the moment and the Oak Carcassonne is well suited to both modern and traditional spaces.

Fixed length boards of 1.9 metres, create a sleek and clean finish and at 14mm thick, this is a floor with strength and durability. The Kährs Fold-Down Click-Joint locks each board tightly into place for a gap-free floor. This innovative joint system means the boards can be laid as a floating floor, with no need for adhesives.

The Oak Carcassonne is suitable for use with underfloor heating and comes with a 25 year domestic guarantee.

## Technical Specifications:

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Brushed White Oiled
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 - 3 Times.
Joint:	Fold-Down Click-Joint.
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.





# Kährs Oak Grasse

A Rustic Floor Oozing Natural Charisma

## Product Description:

A rustic, natural oak floor full of character. The Oak Grasse is a 1-Strip board, available in both Matt Lacquer and Natural Oiled finish. Brushing brings out the natural texture of the wood and a 4-sided bevel gives the boards that full plank look and feel.

Oak Grasse is a rustic board, naturally varied with some boards lighter and darker than others to

give an authentic look, and with natural knots and cracks in the wood. It is a floor oozing natural charisma and the warm bronze tones are rich and earthy.

The innovative click-joint makes installation quick and easy with each board locking snugly into place beside its neighbor. Each board measures 1900 x 190 x 14mm with a 3mm wear layer.

The oiled finish can be re-oiled whenever needed, to restore it's full beauty. Durable, hearty and full of character, the Oak Grasse comes with a 25 year domestic warranty and is suitable for underfloor heating. It can be laid as a floating floor or glued down.



## Technical Specifications:

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Brushed Matt Lacquer or Brushed & Oiled
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 - 3 Times.
Joint:	Fold-Down Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.



# Kährs Oak Dijon

*A Star Performer with Style, Sophistication and Originality*

## Product Description:

The Kährs Oak Dijon offers something a little different. Smoky grey tones within a 3-strip board that gives natural variation of colour and shade.

The 3-Strip design of the Oak Dijon makes it an ideal choice for smaller or narrower areas where the narrower strips help to create the illusion of more space. But this is not just a 'small-space' board. The diversity of colour, from shimmering silver to dusky taupe, makes this floor a star performer on both the traditional and contemporary interior stage. It has style and sophistication and, above all, originality.



The Matt Lacquer finish helps those eye-catching colours shine through, even in direct sunlight, whilst offering a layer of hard-wearing surface protection. The 5G click-joint makes installation quick and easy, with each board locking snugly into place beside its neighbor for a gap-free floor.

Each board measures 2421 x 200 x 14mm and this floor is suitable for use with underfloor heating. A 25 Year Domestic Guarantee shows this a floor that will stand the test of time.

## Technical Specifications:

Design:	3-Strip
Surface Treatment:	Matt Lacquered
Board Dimensions:	2421mm x 200mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 - 3 Times.
Joint:	5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.91m <sup>2</sup> per pack
Warranty:	25 Years.





# Kährs Oak Eze

*Knots, Gnarls and Character in Abundance*

## Product Description:

A rustic, brushed and oiled oak floor, the Kährs Oak Eze has plenty of authentic knots and gnarls in the wood, natural colour variation from board to board and character in abundance!

The boards are meticulously brushed during the manufacturing process to give added texture to the surface and the oiled finish enriches the natural colour of the oak. A far more natural looking finish than lacquer, oiled floors also have the benefit that you can re-oil them every year or so to refresh and rejuvenate the floor.



The Oak Eze boards are beveled, for that full plank look and feel, and come in fixed length 1-strip boards of 2000mm x 188mm x 14mm with a 3mm wear-layer. This floor also enjoys the most up-to-date version of the Kährs innovating locking joint, dubbed the Woodloc® 5G – which locks the boards along both the length and ends, for a super-tight, gap-free floor. The 5G also makes lifting and replacing individual boards after installation far simpler and avoids the arduous and expensive task of having to lift a whole floor to replace a few planks!

The floor is suitable for use with underfloor heating and comes with a 25 year Kährs Domestic Warranty.

## Technical Specifications:

Design:	1-Strip, 2-Sided Bevel
Surface Treatment:	Brushed & Oiled
Board Dimensions:	2000mm x 188mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint.
Installation:	Floating or Glue-Down
Pack Size:	2.25m <sup>2</sup> per pack
Warranty:	25 Years.





# Kährs Oak Toulon

Beautiful Clean Lines and Contemporary Style

**Product Description:**

The Oak Toulon is a 1-Strip, White Matt Lacquered board with 4-sided Microbevel. It comes with the innovative Woodloc® 5S click-joint which makes installation quick and easy, and ensures a tight lock between the boards for a gap-free floor. The 5S also makes the uplift and replacement of individual boards, once laid, much easier, saving the headache of having to uplift a whole floor to replace a few boards. If you are investing for the long-term, this is a feature well worth your attention.

This is a light oak floor with pale tones, sandy shades, beautiful clean lines

and contemporary style. Two metre long boards give a sleek and professional look, when laid, and the matt lacquer finish lets the natural colour of the wood shine through, whilst providing a reassuring layer of surface protection against wear and tear.

Each board measures 2000mm x 187mm x 15mm with a 3mm wear-layer. The Toulon is suitable for use with underfloor heating and comes with a 30 year guarantee.

**Technical Specifications:**

Design:	1-Strip
Surface Treatment:	Matt Lacquer, 4-Sided Microbevel.
Board Dimensions:	2000mm x 187mm x 15mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5S Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.24m2 per pack
Warranty:	30 Years.







NOTE: All images used in this brochure are representative only. Wood is a natural material so variations in colour and tone are to be expected.

# Kährs Oak Perpignan

*Striking woodgrain and  
hypnotic beauty that  
catches the eye!*

## Product Description:

The Oak Perpignan is a truly unique floor, with rich cinnamon tones and striking natural wood grain. For an Oak Floor that stands out from the crowd, this is an excellent choice.

The complex colours in this board are rich and warm with natural variation from rusty copper and burnt caramel to lighter, gingery bronze shades. But the show-stopper is the wood grain,

beautifully accented in darker coffee tones, to give this floor a hypnotic beauty that really catches the eye.

The Oak Perpignan is a 1-strip floor, two metre long planks, 138mm wide x 14mm thick with a 3mm wear-layer. The oiled finish enriches the colour further and lets the natural beauty of the floor speak for itself.

The board can be re-oiled throughout its lifetime to freshen it up and keep it young and handsome for years to come. The 5G locking joint makes installation quick and easy with each board locking tightly into place for a gap-free floor.

This floor is suitable for use with underfloor heating and comes with a 25 year domestic warranty.

## Technical Specifications:

Design:	1-Strip, 2-Sided Bevel.
Surface Treatment:	Oiled
Board Dimensions:	2000mm x 138mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 - 3 Times.
Joint:	5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.20m <sup>2</sup> per pack
Warranty:	25 Years.



# Kährs Oak Chateaunneuf

Soft Handscraped Rustic Board in Pastel Shades

## Product Description:

The Oak Chateaunneuf would like right at home in a rustic French Chateau with its elegant lines and soft handscraped finish. But the pastel shades of milky almond and sandy fawn also make this an ideal floor for more contemporary spaces. It is both trendy and charming all at once, making the Oak Chateaunneuf a real ambassador of aesthetic flexibility.



A nature oiled finish complements the rustic charm of the floor and allows it to be re-oiled and refreshed throughout its lifetime, offering durable beauty. Soft handscraping gives added texture to the oak surface and a beveled edge ensures that full plank look and feel when laid.

The Chateaunneuf comes with the innovative Kährs Woodloc® Click-Joint for quick and easy installation and a tightly locked gap-free floor. It is suitable for use with underfloor heating, comes with a 25 year guarantee and has a 3mm wear-layer that can be re-sanded 2 – 3 times across its lifetime.

For a subtle, flexible floor full of style and charisma, the Oak Chateaunneuf is one to watch!

## Technical Specifications:

Design:	1-Strip
Surface Treatment:	Oiled, Handscraped, 4-Sided Bevel
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup> per pack
Warranty:	25 Years.







# Kährs Oak Limoges

*Rustic and Complex With a Soft Handscraped Finish*

### Product Description:

The Kährs Oak Limoges is another floor that offers real complexity of colour and shade. From creamy almond to smoky grey, with hints of silver and accents of tawny brown, the eye is absorbed by the depth of colour that lies within this board.

Soft handscraping adds further depth of character, giving texture and substance to the surface, all enriched and protected by a nature oil finish. This is a rustic board, with plenty of wood grain, knots and gnarls. The board edges are bevelled, for that full plank look and feel when laid.



The Oak Limoges boards have the innovative Kährs Woodloc® Click-Joint, which makes installation quick and easy, with no need for adhesives. Each board locks tightly into place for a gap-free floor.

Complex and eye-catching, the Oak Limoges is a real beauty and comes with a 25 year domestic warranty. This floor is suitable for use with underfloor heating.

### Technical Specifications:

Design:	1-Strip
Surface Treatment:	Oiled, Handscraped, 4-Sided Bevel
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 - 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.



# Kährs Oak Pau

Bright and Warm with Golden Amber Tones

## Product Description:

Oak Pau is a 1-strip board, 1900mm long by 190mm wide by 14mm thick, with 3mm wear-layer. This is a bright and warming floor, with amber tones and golden shades. Soft Handscraping adds texture and substance to the surface, enriched with oil for a natural finish and providing a layer of protection against wear and tear.

This floor can be re-oiled throughout its lifetime, helping to maintain and refresh its beauty, and we recommend an extra coat of oil is applied to the floor, once laid, to seal into the joints.

The Woodloc® Click-Joint ensures each board locks tightly into place with the next for a gap-free floor that can be laid quickly and easily, without the need for adhesive.

This floor is suitable with underfloor heating and comes with a 25 year Kährs domestic warranty.



## Technical Specifications:

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Oiled, Handscraped
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup> per pack
Warranty:	25 Years.





# Kährs Oak Toulouse

A Rustic Handscraped, Smoked and Oiled Oak Floor

**Product Description:**

A darker shade of oak is created by smoking the boards during the manufacturing process, giving the Kährs Oak Toulouse a variety of rich and complex shades, from coffee bean brown to rusty copper to creamy almond. There is diversity and oodles of charisma in this hearty oak floor.

The Toulouse is handscraped, giving texture to the surface, oiled for a natural finish and bevelled for that full plank look and feel when laid. The floor can be re-oiled throughout its lifetime, refreshing and rejuvenating the natural beauty in the wood, whilst providing on-going protection against wear and tear.

Each board measures 1900 x 190 x 14mm, with a 3mm wear-layer. The Woodloc® Click-Joint makes installation a cinch, as each board locks tightly into place with the next, with no adhesive needed.

The Oak Toulouse lends itself to more rustic, traditional interior styles but has the character to shine on any stage. Natural knots and cracks in the wood add charm and flavor to the floor, which comes with a 25 year domestic warranty. The floor is also suitable for use with underfloor heating.



**Technical Specifications:**

Design:	1-Strip, 4-Sided Bevel
Surface Treatment:	Oiled, Handscraped
Board Dimensions:	1900mm x 190mm x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint:	Woodloc® 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m2 per pack
Warranty:	25 Years.







# Accessories

*For Installation, Maintenance and Care of Your New Floor*

The French Collection floors are complimented by a comprehensive range of accessories, ensuring you have everything you need for installation, maintenance and care of your new floor.

We recommend all French Collection floors are installed using the Kährs Tuplex underlay, a 3mm high performance underlay with built in damp-proof membrane. For extra sound insulation, the Kährs Special Sound Impact Underlayer can be used.

For the oiled floors in the French Collection range, we recommend an extra coat of Kährs Satin Oil is applied to

the floor, once laid, to seal into the joints. This is the same oil as used during the manufacturing process. It is a quick and easy job, simply apply a little oil and mop into the floor using a microfiber mop.

Door thresholds, mouldings and stairnosings can be supplied to match your chosen French Collection floor, along with beadings and scotia in satin oak, unfinished oak or white pine.

For ongoing care and maintenance, Kährs cleaning and care kits can be supplied to keep your floor looking fresh and new, along with top-up oils and lacquers.





